

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S53	19	(kashihara.in.) and (("257"/\$3.ccls.) or ("438"/\$3.ccls.)) and (@ad<"20030829" or @rlad<"20030829")	US-PGPUB; USPAT	OR	ON	2006/01/10 14:17
S1	1806	((cup or cylinder or cylindrical) with capacitor ) and (("257"/\$3.cor.) or ("438"/\$3.cor.)) and (@ad<"20030829" or @rlad<"20030829")	US-PGPUB; USPAT	OR	ON	2006/01/10 14:23
S218	33	S217 and (mask with (hole or trench))	US-PGPUB; USPAT	OR	ON	2006/01/10 14:24
S217	83	S216 and (barrier with (plug or stud))	US-PGPUB; USPAT	OR	ON	2006/01/10 14:24
S3	79	S2 and (mask with (hole or trench))	US-PGPUB; USPAT	OR	ON	2006/01/10 14:24
S2	282	S1 and (barrier with (plug or stud))	US-PGPUB; USPAT	OR	ON	2006/01/10 14:24
S216	481	((cup or cylinder or cylindrical) near2 electrode) with capacitor ) and (("257"/\$3.cor.) or ("438"/\$3.cor.)) and (@ad<"20030829" or @rlad<"20030829")	US-PGPUB; USPAT	OR	ON	2006/01/19 17:29
S215	20	(kashihara.in.) and (("257"/\$3.ccls.) or ("438"/\$3.ccls.)) and (@ad<"20030829" or @rlad<"20030829")	US-PGPUB; USPAT	OR	ON	2006/01/19 17:47
S210	309	S209 and (@ad<"20030829" or @rlad<"20030829")	US-PGPUB; USPAT	OR	ON	2006/01/19 17:47
S224	12	S223 and (("257"/\$3.cor.) or ("438"/\$3.cor.))	US-PGPUB; USPAT	OR	ON	2006/01/19 17:48
S222	50	(capacitor with (electrode) with (fork or fork\$1like or (fork adj (shape or shaped or "like")) or fork\$1shape or fork\$1shaped) )	US-PGPUB; USPAT	OR	ON	2006/01/19 17:50
S223	50	S222 and (@ad<"20030829" or @rlad<"20030829")	US-PGPUB; USPAT	OR	ON	2006/01/19 17:51
S230	21	S229 not S222	US-PGPUB; USPAT	OR	ON	2006/01/19 17:52
S227	0	S226 and (@ad<"20030829" or @rlad<"20030829") and (("257"/\$3.cor.) or ("438"/\$3.cor.))	US-PGPUB; USPAT	OR	ON	2006/01/19 17:52
S226	35	S225 not S222	US-PGPUB; USPAT	OR	ON	2006/01/19 17:52
S225	85	(capacitor same ( electrode with (fork or fork\$1like or (fork adj (shape or shaped or "like")) or fork\$1shape or fork\$1shaped) )	US-PGPUB; USPAT	OR	ON	2006/01/19 17:52
S232	3	("5702974"   "5972769"   "6027981").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/19 17:53
S233	3	("5453633"   "5744833"   "5869861").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/19 17:55
S235	0	((not". adj (cylinder or cylindrical or cylindrically) ) with electrode)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/19 18:02
S231	7	S230 and memory	US-PGPUB; USPAT	OR	ON	2006/01/19 18:03
S229	33	S228 and (@ad<"20030829" or @rlad<"20030829") and (("257"/\$3.cor.) or ("438"/\$3.cor.))	US-PGPUB; USPAT	OR	ON	2006/01/19 18:03
S243	579	( electrode with ( prong) )	US-PGPUB; USPAT	OR	ON	2006/01/19 18:04
S242	1	S241 and (@ad<"20030829" or @rlad<"20030829") and (("257"/\$3.cor.) or ("438"/\$3.cor.))	US-PGPUB; USPAT	OR	ON	2006/01/19 18:04

S23 8	49	S237 and (@ad<"20030829" or @rlad<"20030829") and ("257"/\$3.cor.) or ("438"/\$3.cor.))	US-PGPUB; USPAT	OR	ON	2006/01/19 18:04
S24 5	314	( electrode with ( spacer near (conductive or poly\$1si or polysilicon)) not gate )	US-PGPUB; USPAT	OR	ON	2006/01/19 18:06
S24 4	13	S243 and (@ad<"20030829" or @rlad<"20030829") and ("257"/\$3.cor.) or ("438"/\$3.cor.))	US-PGPUB; USPAT	OR	ON	2006/01/19 18:07
S23 9	30	S238 and ( dram or memory)	US-PGPUB; USPAT	OR	ON	2006/01/19 18:07
S24 7	26	S246 and ( dram or memory)	US-PGPUB; USPAT	OR	ON	2006/01/19 18:11
S24 6	47	S245 and (@ad<"20030829" or @rlad<"20030829") and ("257"/\$3.cor.) or ("438"/\$3.cor.))	US-PGPUB; USPAT	OR	ON	2006/01/19 18:11
S25 1	12	("5217914"   "5438011"   "5492850"   "5543346"   "5550076"   "5604146"   "5604696"   "5702989"   "5714779"   "5721168"   "5726086"   "5750430").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/19 18:12
S25 4	27	S253 and ( dram or memory)	US-PGPUB; USPAT	OR	ON	2006/01/19 18:16
S25 0	93	S249 and ( dram or memory)	US-PGPUB; USPAT	OR	ON	2006/01/19 18:16
S24 9	429	S248 and (@ad<"20030829" or @rlad<"20030829") and ("257"/\$3.cor.) or ("438"/\$3.cor.))	US-PGPUB; USPAT	OR	ON	2006/01/19 18:16
S25 3	101	S252 and (@ad<"20030829" or @rlad<"20030829") and ("257"/\$3.cor.) or ("438"/\$3.cor.))	US-PGPUB; USPAT	OR	ON	2006/01/19 18:24
S25 8	12643	( electrode with ( trench or groove) not gate )	US-PGPUB; USPAT	OR	ON	2006/01/19 18:25
S25 7	14	S256 and (@ad<"20030829" or @rlad<"20030829")	US-PGPUB; USPAT	OR	ON	2006/01/19 18:25
S25 5	1948	( electrode with ( trench) not gate )	US-PGPUB; USPAT	OR	ON	2006/01/19 18:25
S26 2	178	257/303.cor.	US-PGPUB; USPAT	OR	ON	2006/01/19 18:26
S26 1	1	S260 not S257	US-PGPUB; USPAT	OR	ON	2006/01/19 18:26
S26 0	15	S259 and (257/306.cor.)	US-PGPUB; USPAT	OR	ON	2006/01/19 18:26
S25 9	11479	S258 and (@ad<"20030829" or @rlad<"20030829")	US-PGPUB; USPAT	OR	ON	2006/01/19 18:26
S25 6	16	S255 and (257/306.cor.)	US-PGPUB; USPAT	OR	ON	2006/01/19 18:26
S26 3	160	S262 and (@ad<"20030829" or @rlad<"20030829")	US-PGPUB; USPAT	OR	ON	2006/01/22 13:37
S26 5	20	S264 and (@ad<"20030829" or @rlad<"20030829")	US-PGPUB; USPAT	OR	ON	2006/01/22 13:38
S26 4	20	(hollow with cylinder) and ( (dram or (dynamic adj (ram or random)) or capacitor or capacitance) ab.) and cup	US-PGPUB; USPAT	OR	ON	2006/01/22 13:38
S26 7	77	S266 and (@ad<"20030829" or @rlad<"20030829") and ("257"/\$3.cor.) or ("438"/\$3.cor.))	US-PGPUB; USPAT	OR	ON	2006/01/22 13:39
S27 2	0	(can\$1capacitor) and ( (dram or (dynamic adj (ram or random)) or capacitor or capacitance) ab.)	US-PGPUB; USPAT	OR	ON	2006/01/22 13:40
S27 0	282	("can" adj (capacitor)) and ( (dram or (dynamic adj (ram or random)) or capacitor or capacitance) ab.)	US-PGPUB; USPAT	OR	ON	2006/01/22 13:40

S26 9	1	S268 and (@ad<"20030829" or @rlad<"20030829") and ("257"/\$3.cor.) or ("438"/\$3.cor.))	US-PGPUB; USPAT	OR	ON	2006/01/22 13:40
S26 8	6	(can\$1shape or can\$1shaped) and ( (dram or (dynamic adj (ram or random)) or capacitor or capacitance).ab.)	US-PGPUB; USPAT	OR	ON	2006/01/22 13:40
S26 6	324	("can" adj (shape or shaped)) and ( (dram or (dynamic adj (ram or random)) or capacitor or capacitance).ab.)	US-PGPUB; USPAT	OR	ON	2006/01/22 13:40
S27 4	111	S273 and (@ad<"20030829" or @rlad<"20030829") and ("257"/\$3.cor.) or ("438"/\$3.cor.))	US-PGPUB; USPAT	OR	ON	2006/01/22 13:41
S27 3	427	(cup\$1shape or cup\$1shaped) and ( (dram or (dynamic adj (ram or random)) or capacitor or capacitance).ab.)	US-PGPUB; USPAT	OR	ON	2006/01/22 13:41
S27 1	49	S270 and (@ad<"20030829" or @rlad<"20030829") and ("257"/\$3.cor.) or ("438"/\$3.cor.))	US-PGPUB; USPAT	OR	ON	2006/01/22 13:41
S27 6	102	S275 and (@ad<"20030829" or @rlad<"20030829") and ("257"/\$3.cor.) or ("438"/\$3.cor.))	US-PGPUB; USPAT	OR	ON	2006/01/22 19:26
S27 5	222	( (cup\$1shape or cup\$1shaped) with (electrode or capacitor)) and ( (dram or (dynamic adj (ram or random)) or capacitor or capacitance).ab.)	US-PGPUB; USPAT	OR	ON	2006/01/22 19:26
S28 1	272	S280 and (@ad<"20030829" or @rlad<"20030829") and ("257"/\$3.cor.) or ("438"/\$3.cor.))	US-PGPUB; USPAT	OR	ON	2006/01/22 19:28
S27 8	4	( (conformal adj lower adj electrode)) and ( (dram or (dynamic adj (ram or random)) or capacitor or capacitance).ab.)	US-PGPUB; USPAT	OR	ON	2006/01/22 19:28
S28 2	272	S281 and ( (dram or (dynamic adj (ram or random)) or capacitor or capacitance).ab.)	US-PGPUB; USPAT	OR	ON	2006/01/22 19:29
S28 4	17	("5043780"   "5102832"   "5112773"   "5130885"   "5138411"   "5182232"   "5191509"   "5320880"   "5340765"   "5366917"   "5372962"   "5385863"   "5407534"   "5418180"   "5561307"   "5563090"   "5569614").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 19:33
S28 6	4	("20020019123"   "6057571"   "6150206"   "6294834").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 19:37
S28 7	8	("6150206").URPN.	USPAT	OR	ON	2006/01/22 19:38
S28 9	3	"6620685"	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 19:41
S28 8	1	("6225208").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 19:41
S29 0	3	("6143601"   "6258649"   "6329681").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 19:42
S29 1	1	("5610854").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 19:44
S28 3	243	S282 not (cylinder or cylindrical)	US-PGPUB; USPAT	OR	ON	2006/01/22 19:46
S27 9	2	S278 and (@ad<"20030829" or @rlad<"20030829") and ("257"/\$3.cor.) or ("438"/\$3.cor.))	US-PGPUB; USPAT	OR	ON	2006/01/22 19:46
S29 6	1	"6713363"	USPAT	OR	ON	2006/01/22 19:48
S29 5	0	("6713363").URPN.	USPAT	OR	ON	2006/01/22 19:48

S29 4	7	("5174856"   "5200031"   "5230772"   "5780115"   "5872061"   "6331380"   "6372150").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 19:48
S29 8	1108	S297 not S277	US-PGPUB; USPAT	OR	ON	2006/01/22 19:51
S30 2	1	((metal\$1insulator\$1metal or metal\$1insulation\$1metal or (metal adj (insulator or insulation) adj metal) or mim) near2 capacitor)) and S300	US-PGPUB; USPAT	OR	ON	2006/01/22 19:52
S30 1	0	((metal\$1insulator\$1metal or metal\$1insulation\$1metal or (metal adj (insulator or insulation) adj metal) or mim) near2 capacitor).ab.) and S300	US-PGPUB; USPAT	OR	ON	2006/01/22 19:52
S29 9	147	S298 and (@ad<"20030829" or @rlad<"20030829") and (("257"/\$3.cor.) or ("438"/\$3.cor.))	US-PGPUB; USPAT	OR	ON	2006/01/22 19:52
S29 2	343	S277 not (cylinder or cylindrical or cup)	US-PGPUB; USPAT	OR	ON	2006/01/22 19:52
S28 0	394	((metal\$1insulator\$1metal or metal\$1insulation\$1metal or (metal adj (insulator or insulation) adj metal) or mim) near2 capacitor).ab.)	US-PGPUB; USPAT	OR	ON	2006/01/22 19:52
S30 5	788	(metal with trench) and (capacitor.ab.)	US-PGPUB; USPAT	OR	ON	2006/01/22 19:53
S30 4	9	S303 and (@ad<"20030829" or @rlad<"20030829") and (("257"/\$3.cor.) or ("438"/\$3.cor.))	US-PGPUB; USPAT	OR	ON	2006/01/22 19:53
S30 0	132	S299 not (cylinder or cylindrical or cup)	US-PGPUB; USPAT	OR	ON	2006/01/22 19:53
S31 2	138	S311 not S293	US-PGPUB; USPAT	OR	ON	2006/01/22 19:54
S31 1	140	S310 not S285	US-PGPUB; USPAT	OR	ON	2006/01/22 19:54
S31 0	172	S309 not (cylinder or cylindrical or cup)	US-PGPUB; USPAT	OR	ON	2006/01/22 19:54
S30 9	217	S308 and (@ad<"20030829" or @rlad<"20030829") and (("257"/\$3.cor.) or ("438"/\$3.cor.))	US-PGPUB; USPAT	OR	ON	2006/01/22 19:54
S30 8	270	(metal with trench with electrode) and (capacitor.ab.)	US-PGPUB; USPAT	OR	ON	2006/01/22 19:54
S30 7	521	S306 not (cylinder or cylindrical or cup)	US-PGPUB; USPAT	OR	ON	2006/01/22 19:54
S30 6	621	S305 and (@ad<"20030829" or @rlad<"20030829") and (("257"/\$3.cor.) or ("438"/\$3.cor.))	US-PGPUB; USPAT	OR	ON	2006/01/22 19:54
S29 3	78	S292 and (@ad<"20030829" or @rlad<"20030829") and (("257"/\$3.cor.) or ("438"/\$3.cor.))	US-PGPUB; USPAT	OR	ON	2006/01/22 19:54
S28 5	228	S283 not hsg	US-PGPUB; USPAT	OR	ON	2006/01/22 19:54
S31 3	16	(noble ) and S312	US-PGPUB; USPAT	OR	ON	2006/01/22 19:55
S30 3	11	(noble with trench) and (capacitor.ab.)	US-PGPUB; USPAT	OR	ON	2006/01/22 19:55
S31 4	5	("5363550"   "5367956"   "5589845"   "5976928"   "6030866").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 19:56
S31 5	16	("5374580"   "5552355"   "5619051"   "5668041"   "5686339"   "5691219"   "5825055"   "5843818"   "5879985"   "5920761"   "5952687"   "5976928"   "6030847"   "6051859"   "6066528"   "6071770").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 19:58

S31 6	20	("5275974"   "5318927"   "5330931"   "5340370"   "5354712"   "5392189"   "5394000"   "5516346"   "5527423"   "5566045"   "5614444"   "5627094"   "5639697"   "5661064"   "5691571"   "5696017"   "5741722"   "5786259"   "5801079"   "5843818"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 19:59
----------	----	--	------------------------------	----	----	------------------